NOXLITE LED SPOT 8 W SENSOR GR

NOXLITE LED SPOT | Outdoor LED wall luminaires

Areas of application

- Outdoor
- Garages
- Patios, balconies

Product benefits

- Functional design
- High light output thanks to high-power LED
- Quick and simple installation
- Compact and lightweight

Product features

- Very bright and functional outdoor LED luminaires
- Motion and day/night sensor with time settings from 5 s...10 min
- Type of protection: IP44
- Adjustable (down 70°, left/right 30°)

© 2015, OSRAM GmbH. All rights reserved.

Technical data

Electrical data

Nominal wattage	8 W
Nominal voltage	100…240 V
Mains frequency	50…60 Hz
Operating mode	ECG

Photometrical data

Color temperature	6000 K
Luminous flux	430 lm
Light color as per EN 12464-1	Cool white
Color rendering index Ra	› 65

Light technical data

Beam angle	60 °

Dimensions & weight

Length	170.0 mm
Width	90.0 mm
Height	90.0 mm

Colors & materials

Body material	Aluminum
Product color	Grey
Cover material	Polymethyl methacrylate (PMMA)

Temperatures

Ambient temperature range	-20…+40 °C

Lifespan

Lifespan	30000 h

Additional product data

Number of lighting outlets	4
Equipment	LED
Equipped with lamp	Yes
Type of cover	Lens

© 2015, OSRAM GmbH. All rights reserved.

Capabilities

Type of installation	Surface-mounted
Adjustable	Yes
Dimmable	No
Type of connection	Terminal, 3-pole, max. 1,5 mm²
Accessories	Screw / Sensor cap / Sensor limitation strip

Certificates & standards

Standards	CE
Protection class	II
Type of protection	IP44

Country specific categorizations

Order reference	41013

Country specific information

Product code	METEL-Code	SEG number	STK number	UK Org
4008321960962	-	7700893	7700893	-

© 2015, OSRAM GmbH. All rights reserved.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321960962	NOXLITE LED SPOT 8 W SENSOR GR	Folding carton box 1	255 mm x 115 mm x 153 mm	4.49 dm^3	571.00 g
4008321980557	NOXLITE LED SPOT 8 W SENSOR GR	Shipping carton box 4	322 mm x 305 mm x 285 mm	27.99 dm^3	2887.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2015, OSRAM GmbH. All rights reserved.